ASOCIATION CONNECTING ELECTRONICS INDUSTRIES® INTERNATION INC. INC. INC. INC. INC. INC. INC. INC	ckburn, Illinois, A	Il rights reserved untions.	inder both	This docume level parts, t	ent is a declarat he declaration of	ion of the su encompasse	ibstances s all lowe	within the manufac r level materials for	cturer listed	d item. Note e manufactur	: if the item is an a rer has engineering	ssembly with lower responsibility.	
2-21.1 IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materia					terials and	als and Mfg Information			
Supplier Information													
Company name* Company unique ID				Unique ID Authority					_	Response Date*			
onsemi										2023-06-08			
Contact Name	Title - Contact				Phone - Contact*				Emai	Email - Contact*			
Product-Env-Stewards Product Enviro Compliance				NA				Prod	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Comp			Compliance N			NA			Prod	Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr I	em Number	Mfr Item Name			Effective Date	Version]	Manufacturing Site		Weight*	UOM	Unit Type	
MM7	4HC245ASJ	HC245ASJ OCTAL TRI-STATE			2023-06-08		PH4			284.052	mg	Each	
Manufacturing Proccess Information													
Terminal Plating / Grid Array Material	Terminal Base Alloy J-STD-020 M			Rating	Peak Process Body Temperature Max Time at Peal			ak Tempe	Temperature Number of Reflow Cycles				
Matte Tin (Sn) - annealed CU Alloy 1		1		260		С	30	sec	onds 3				
Comments													
level 1 - maximum time at peak temperature during	soldering is 10-3	0 seconds											
For more information regarding material compositi	on please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material Weig		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.65	mg	Supplier	Silicon (Si)	7440-21-3		1.65	mg	
Die Attach	0.812	mg	Supplier	Silver (Ag)	7440-22-4		0.6374	mg	
			Supplier	Phenolic Resin-2	54208-63-8		0.1746	mg	
Lead Frame	84.2	mg	Supplier	Zinc (Zn)	7440-66-6		0.109	mg	
			Supplier	Iron (Fe)	7439-89-6		2.0208	mg	
			Supplier	Copper (Cu)	7440-50-8		82.0363	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0339	mg	
Mold Compound-Black	194.0	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		1.94	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		55.29	mg	
			В	Antimony Trioxide (Sb2O3)	1309-64-4		5.82	mg	
			Supplier	Carbon Black (C)	1333-86-4		1.94	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		129.01	mg	
Plating	2.85	mg	Supplier	Tin (Sn)	7440-31-5		2.85	mg	
Wire Bond - Au	0.54	mg	Supplier	Gold (Au)	7440-57-5		0.54	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)